



Corrosion protection systems for **Pipeline Stations**



■ **PLASTELEN®**
Petrolatum-Tapes & Mastic

■ **LIQUITOL®**
Liquid Coatings

■ **BUTYLEN**
PE/Butyl-Tape Systems

■ **DEKOTEC®**
Heat Shrink Sleeves

■ **MarineProtect®**
Jetty Pile Protection

■ **DEKOTEC®**
Sealing Tapes

Corrosion protection systems for Pipeline Stations

Pipeline stations require permanent corrosion protection for pipelines and components, some with complex geometry. For these challenges, DEKOTEC offers perfect solutions to permanently ensure passive corrosion protection, also supporting active corrosion protection.

PLASTELEN®-KS

- Petrolatum compound for encapsulating sleeve pipes on fitting linkages.
- Reduction of potential funnels in cathodic corrosion protection by more than 90 %.
- Linkages remain easy to move, even at temperatures of -10°C (+14 °F).

LIQUITOL® Insulating Board

- PUR panel for electrical insulation of fittings foundations and cable crossing points.
- High electrical resistance.
- Low creep tendency.
- High thermal and chemical resistance.
- Can also be used as a root barrier.

LIQUITOL®-FK2/-FK2 C

- Spray-on and paint-on coatings made of PUR according to EN 10290.
- High mechanical strength and good flexibility.
- For operating temperatures up to +80 °C (+176 °F).
- Excellent durability even when used in ground to air transition.



Ground to air transition
LIQUITOL®-FK2
LIQUITOL®-FK2 C



Sleeve pipe filling
PLASTELEN®-KS
Hot Casting Compound



Insulation of foundations
LIQUITOL®
Insulating Board



Member of:



Certified by:





PLASTELEN®-Mastic PF PLASTELEN®-PLAST

- Retrospective encapsulating system for flanges and shaped parts based on proven petrolatum technology.
- DIN-DVGW certification according to EN 12068 and DIN 30672 for class A 30 (PLASTELEN®-PLAST).
- Flanges remain easily accessible.
- Simple application without any special tools.

BUTYLEN Tape Systems

- Very long lasting corrosion protection using self-amalgamating, real co-extruded PE/butyl-rubber tapes.
- Special systems for various applications (e.g. BUTYLEN-AS40Plus), for small diameter and complex geometries (e.g. BUTYLEN-N15/PE5) or for large diameters (e.g. BUTYLEN-N60/S20).
- Versatile applications e.g. for welded seam encapsulating, renovation/rehabilitation, pipe bends and T-pieces.
- DIN-DVGW approved systems according to EN 12068 and DIN 30672 for classes B 30 to C 50.

DEKOMAT® Application Devices

- Quick and reliable application of BUTYLEN tapes.
- Hand wrapping device suitable for all common pipe diameters and pipe bends, starting from DN 50.
- Automatic wrapping device for the welded seam area or winding the whole pipe. 40 seams per day with a nominal size of DN 1200 are possible!
- Frequently tested under site conditions around the world.



Flanges and shaped parts

PLASTELEN®-Mastic PF
PLASTELEN®-PLAST



Field coating

BUTYLEN
Tape Systems
DEKOMAT®
Application Devices

Spray-on and brush-on coating

LIQUITOL®-FK2
LIQUITOL®-FK2 C





Corrosion Prevention and Sealing Technology



Personal service – whenever and wherever you need it



 **DEKOTEC GmbH**
P.O. Box 150120
51344 Leverkusen / Germany
Phone +49 214 2602-0
Fax +49 214 2602-217
www.dekotec.de
info@dekotec.de

From a family company to a company family

From its roots as a one-family enterprise, the company has developed into an international group of companies, with branches in seven European countries and sales partners in more than 100 countries across the world.

The group's expansion has been highly dynamic, with consistent revenue growth. The company offers high-quality sealing technology and corrosion prevention solutions for applications including road construction, railways, plants and pipelines. The company has led the key central European market for almost a century and is now working to intensify its expansion into the growth regions of Eastern Europe, Asia, South America and Africa.

The products are already used all over the world – from Australia to Chile, Canada to Russia and South Africa to Norway. There are many factors behind the success of the products, including their exceptional quality, the „Made in Germany“ quality guarantee and – last but not least – the company's personal contact and close relationships with its customers all over the world, via a team of around 200 employees across seven European countries.

Tailor-made solutions for our customers

DEKOTEC has always been faithful to one clear concept: High product quality and a consistent commitment to service are at the heart of our business. Our quality and service values

are evident in everything we do – from our material selection processes, where only the very best makes its way into our products, to our outstanding production flows, our specialist staff and the reliable solutions we offer for our customers' applications. As well as providing individual, on-site advice, we believe that personal service and flexibility are the cornerstones of exceptional service in our quest to find the right solution for each customer. Sometimes, our customers even inspire us to develop brand new products.

DEKOTEC GmbH

P.O. Box 150120 | 51344 Leverkusen | Germany
Phone +49 214 2602-0 | Fax +49 214 2602-217
www.dekotec.de | info@dekotec.de

Our product information, our application recommendations and other product related documents are made for your convenience only. Since many installation factors are beyond our control, the user shall determine the suitability of the products for the intended use and assume all risks and liabilities in connection therewith. All information contained in this document is to be used as a guide and does not constitute a warranty of specification. The information contained in the document is subject to change without notice. For this reason, no liability

can be accepted for inaccurate advice or any failure to provide advice. The user is responsible for checking the applications of the product and verifying its suitability for the intended use. Our General Terms of Sale, which are available at www.dekotec.de, shall be decisive without any exception. This is a translation from the original German product information. In case of any discrepancy or any dispute arising on the interpretation of this product information, the German text of the respective German product information, which is available at www.denso.de, shall be decisive. The legal relationship shall be governed by German law.

02/2018